

Total Solutions System

STATIONARY BATTERIES



WINNER[®]

BATTERY
SWITCH FOR SUCCESS

GEL DEEP CYCLE

- Deep cycle VRLA GEL 2/6/12 Volts series
- Superior characteristics of very low self discharge
- Heavy Duty grids – For intensive cyclic use
- Deep discharge recovery - ABS battery case
- Extreme cold/hot climates operation
- More than 1100 cycles with 50% D.O.D.



www.winnerbattery.net

MERCURY


SEALED VRLA MF GEL TYPE RECHARGEABLE BATTERY




Type No	Voltage	Capacity	Max Discharge Current in 5"	Dimensions (mm)				Layout	Terminal	Weight
	V	AH (C20)	A	L	W	H	T.H.			(Kg)
150-6	6	150	1500	260	180	247	252	2	F18	23,50
180-6	6	180	1800	307	169	222	227	2	F18	26,50
200-6	6	200	2000	260	180	247	252	2	F18	30,00
225-6	6	225	2250	244	189	275	275	2	F18	32,00
225-6B	6	225	2250	322	178	222	227	2	F18	32,00
40-12	12	40	400	198	166	171	171	0	F13	13,20
55-12	12	55	550	229	138	210	215	1	F13	18,00
70-12	12	70	700	350	167	180	183	1	F13	22,50
80-12	12	80	800	260	169	210	215	1	F13	24,80
90-12	12	90	900	307	169	210	215	1	F18	28,50
100-12	12	100	1000	328	172	222	222	1	F18	30,00
120-12	12	120	1200	407	177	225	225	1	F18	35,00
145-12	12	145	1450	341	173	280	285	1	F18	44,00
150-12	12	150	1500	483	170	240	240	1	F18	45,00
180-12	12	180	1800	530	209	214	219	4	F18	53,00
200-12	12	200	2000	522	240	219	224	4	F18	60,00
230-12	12	230	2300	521	269	203	208	4	F18	69,00
260-12	12	260	2600	521	269	219	224	4	F18	74,00
200-2	2	200	1000	171	107	330	365	5	F17	14,00
300-2	2	300	1500	171	151	330	365	5	F17	19,00
400-2	2	400	2000	211	175	330	365	5	F17	26,00
500-2	2	500	2500	242	175	330	365	5	F17	30,50
600-2	2	600	2400	302	175	330	365	5	F17	37,00
800-2	2	800	3200	410	175	330	365	6	F17	50,00
1000-2	2	1000	4000	475	175	330	365	6	F17	62,00
1200-2	2	1200	4000	475	175	330	365	6	F17	76,00
1500-2	2	1500	6000	401	350	340	382	9	F17	96,00
2000-2	2	2000	7000	490	350	340	382	9	F17	127,00
3000-2	2	3000	8000	710	350	340	382	10	F17	193,00

More types available on request

KEY FOR LAY OUT



KEY FOR LAY OUT



APPLICATIONS

Energy storage for solar & wind systems
Cleaning machines & wheelchairs

Marine cyclic & stand by applications
Recreational vehicles
Navigational & road signaling

Weather & climate data stations
LAN, CATV & special networks
Medical facilities

Wherever batteries go



VIOSY S.A. • Central Office:
17th klm N.R. Athens-Corinth, 19300, Aspropyrgos, Athens, Greece • Tel.: +30 210 3474444 • Fax: +30 210 3479931
http://www.winnerbattery.net • e-mail: info@winnerbattery.net • http://www.viosy.gr • e-mail: info@viosy.gr